



INCA GLOBAL

Guillotine Profiles
Aluminium Catalog



EMAIL
info@incaglobal.com.tr



TELEPHONE


+90 535 977 84 91




WEBSITE

www.incaglobal.com.tr


- 10-10378
- Ana Şase Profili (Sabit / Silinebilir)
Main Chassis Profile (Fixed / Wipeable)
- 2.353 kg/m




- 10-10381
- Şase Kapak Profili (Sabit / Silinebilir)
Chassis Cover Profile (Fixed / Wipeable)
- 1.660 kg/m




- 10-10379
- Silinebilir Yan Kasa Üst Profili / Wipeable Side Frame Top Profile
- 2.189 kg/m




- 10-10380
- Silinebilir Yan Kasa Alt Profili / Wipeable Side Frame Bottom Profile
- 1.653 kg/m




- 10-10382
- Silinebilir Alt Kasa Profili / Wipeable Bottom Frame Profile
- 1.168 kg/m




- 10-10392
- Sabit Yan Kasa Profili / Fixed Side Frame Profile
- 2.039 kg/m




- 10-10393
- Sabit Alt Kasa Profili / Fixed Bottom Frame Profile
- 1.207 kg/m




- 10-10461
- Silinebilir / Sabit Kasa Kapak Profili
Wipeable / Fixed Frame Cover Profile
- 0.186 kg/m




- 10-10389
- Silinebilir / Sabit Küpeşte Profili
Wipeable / Fixed Handrail Profile
- 0.580 kg/m




- 10-10390
- Silinebilir / Sabit Küpeşte Bağlantı Profili
Wipeable / Fixed Handrail Connection Profile
- 0.310 kg/m




- 10-10386
- Silinebilir / Sabit Tek Cam Baza Profili
Wipeable / Fixed Insulating Single Glazing Plinth Profile
- 0.635 kg/m




- 10-10384
- Silinebilir / Sabit Isıcam Baza Profili
Wipeable / Fixed Insulating Heat Glazing Plinth Profile
- 0.493 kg/m




- 10-10385
- Silinebilir / Sabit Isıcam Kenet Profili
Wipeable / Fixed Insulating Heat Glazing Clamp Profile
- 0.731 kg/m



- 10-10387
- Silinebilir / Sabit Tek Cam Kenet Profili
Wipeable / Fixed Insulating Single Glazing Clamp Profile
- 0.886 kg/m



- 10-10388
- Silinebilir Tek Cam Kulaklı Baza Profili
Wipeable Single Glazing Ear Plinth Profile
- 0.885 kg/m



- 10-10383
- Silinebilir Isıcam Kulaklı Baza Profili
Plinth Profile With Erasable Insulating Glazing Ears
- 0.716 kg/m

